

Google scholar

drag operation altering range time series graph

Search

[Advanced Scholar Search](#)**Scholar**

Articles and patents

anytime

include citations

[Create email alert]

Results 1 - 10 of about 19,200. (0.26 sec)

Dynamic query tools for **time series** data sets: timebox widgets for interactive exploration

[PDF from psu.edu](#)

H Hochheiser, B Shneiderman - Information Visualization, 2004 - ingentaconnect.com

... users click on the desired starting point of the timebox and **drag** the pointer ... to the mechanism used for creating rectangles in widely used drawing programs, this **operation** should be ... the end points do not change, the widget can be translated vertically without changing the result ...

Cited by 150 - Related articles - SciDirect - All 26 versions

Method for storing **time series** data and **time series** database system, method and system for processing **time series** data, **time series** data display system, and ...

K Uemura, T Saito, S Yoshida... - US Patent ..., 2003 - Google Patents

... 19,2003 (54) METHOD FOR STORING **TIME SERIES** DATA AND **TIME SERIES** DATABASE SYSTEM, METHOD AND SYSTEM FOR PROCESSING **TIME SERIES** DATA, **TIME SERIES** DATA DISPLAY SYSTEM, AND RECORDING MEDIUM (75) Inventors: Ken Uemura ...

Cited by 11 - Related articles - All 2 versions

Manyeyes: a site for visualization at internet scale

[PDF from psu.edu](#)

FB Viegas, M Wattenberg, F Van Ham... - IEEE Transactions on ..., 2007 - computer.org

... this **operation** before starting to visualize their data, a "Flip rows/columns" button is made available whenever the column types permit the **operation**. ... We designed a widget that allows users to reorder column names by **drag** and drop, again, changing the visualization on ...

Cited by 165 - Related articles - SciDirect - All 18 versions

[book] Introduction to the Practice of Statistics Excel Manual with Macros

DS Moore, LG Dawson... - 2005 - books.google.com

... Addition + » Subtraction * Multiplication ** Division / Functions Functions are special formulas that perform more complex **operations**. ... You can also press the ESC key to cancel the entire **operation** or click ... increments in the **series**, then select those two cells and **drag** down the ...

Cited by 1008 - Related articles - Library Search - All 11 versions

Generalized selection via interactive query relaxation

[PDF from psu.edu](#)

J Heer, M Agrawala... - ... of the twenty-sixth annual SIGCHI ..., 2008 - portal.acm.org

... **drag** or resize (eg, Figure 1). The query builder updates **range** clauses in response to these **drag** and **resize** ... We define a relaxation **operation** based on the semantic structure of the attributes of the underlying data and a policy for ... Palettes on the right provide drawing **operations**. ...

Cited by 25 - Related articles - SciDirect - All 8 versions

Building highly-coordinated visualizations in Improvise

[\[PDF\] from psu.edu](#)

C Weaver - 2004 - computer.org

... ties are integrated in a single, live user interface that lets users **alter** visualizations quickly ...

Expressions make up query **operations** that views use to visually encode data records into ... in an expression for modification (A), or copy-and-paste/**drag**-and-drop entire subexpressions. ...

[Cited by 66](#) - [Related articles](#) - [All 10 versions](#)

Methods for visualizing transformations among related series of graphs

JE Pirkow, PLT Pirolli, EH Chi, SK Card... - US Patent ..., 2002 - Google Patents

... **Time** tubes are generated by a method of display- ing a related **series of graphs**. ... **Time** tubes may encode several dimensions of the transformations simulta- neously by **altering** the representation of size, color, and layout among the planar slices. ...

[Cited by 41](#) - [Related articles](#) - [All 2 versions](#)

[PDF] Handling complexity in GIS interface design

[\[PDF\] from psu.edu](#)

G Câmara, RCM Souza, MV Monteiro... - anais do Geo-Info 1999 ..., 1999 - Citeseer

... This **operation** includes: data selection ("Navigation/Data"), **operation** selection ("Navigation/**Operation**"), a data ... of data and **operations**, folders for organising spatial information processing, **drag-and-drop** linking data ... of a Tcl/Tk interface for Map Algebra **operations** has been ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

[PDF] A regional water quality model designed for a **range** of users and for retrofit and re-use

[\[PDF\] from psu.edu](#)

RA Vertessy, JM Rahman, FGR Wilson... - ... Modelling and Software ..., 2002 - Citeseer

... Within Tarsier, most of these repetitive **operations** have been identified, encoded in general ... of customised Tarsier components added to the Borland C++ Builder **drag**-and-drop design palette. ... has an effect on runoff rate and pollutant loading rates) • Changing best management ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

Engine Transition Test Instrument and Method

Y Urano - US Patent App. 20,090/187,390, 2005 - freepatentsonline.com

... It is preferable that the control value **operation** means updates a control value according to a **drag operation** by an ... As a result, it becomes possible for the operator to perform correct **operations** of the control ... 6 illustrates an example of the **operation** for correcting the control values ...

[Cached](#)

[Create email alert](#)

drag operation altering range time s

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google